





Zhuhai RaySharp Technology Co., Ltd.

NO.100 Technology Rd.6, High-tech Zone Zhuhai,Guangdong,P.R.CHINA, 519085

H.265 IPC Range

Type	Housing	Optional Housing	Model Name	DSP	Sensor	Max. Pixels	Focus	Manual / Motorized Lens	Lens Size	Max. Resolution & Frame Rate	WDR	IR LEC	PoE	TF SD	Alarm I/O	Audio I/O	CVBS Output	IP66	Min. Illumination	Spec.	Unit Price
Metal Bullet (Ø71.9x154.2mm)			CH281HC-S-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH281HC-S-28PW-A	H3516C	Sony IMX323	2MP	Fixed	-	2.8mm	1920x1080 @30fps	DWDR	SMD	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH281HC-TF-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	√	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH293HC-S-36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH291HC-S-W36PW	H3516D	Sony IMX123	3MP	Fixed	-	3.6mm	2048x1520 @30fps	120db	SMD	√	X	X	X	X	√	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH292HC-S-28PW	H3516D	OV4689	4MP	Fixed	-	2.8mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH292HC-S-36PW	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.	
			CH292HC-60P	H3516D	OV4689	4MP	Fixed	-	6.0mm	2592x1520 @20fps	90db	DIP	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~30 meters.	
			CH251HC-S-28PW	H3516D	Sony IMX326	5MP	Fixed	-	2.8mm	2592x1944 @15fps	DWDR	DIP	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~30 meters.	
			CH251HC-S-28PW-A	H3516D	Sony IMX326	5MP	Fixed	-	2.8mm	2592x1944 @15fps	DWDR	DIP	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~30 meters.	
			CH251HC-S-36PW	H3516D	Sony IMX326	5MP	Fixed	-	3.6mm	2592x1944 @15fps	DWDR	DIP	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~30 meters.	



CH241HC-S-40PW	H3516A V200	Sony IMX274	8MP	Fixed	-	4.0mm	3840x2160 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.5" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH241HC-S-40PW	H3519	Sony IMX274	8MP	Fixed	-	4.0mm	3840x2160 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.5" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH281HB-S-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH281HB-S-36W-A	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH281HB-S-W36PW	H3516C	Sony IMX290	2MP	Fixed	-	3.6mm	1920x1080 @30fps	120db	SMD	√	X	X	X	X	√	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH281HB-TF-W36PW	H3516C	Sony IMX290	2MP	Fixed	-	3.6mm	1920x1080 @30fps	120db	SMD	√	√	X	X	X	√	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH293HB-36PW	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	DIP	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~30 meters.
CH292HB-S-36PW	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH292HB-S-36PW-A	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	SMD	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH251HB-S-36PW	H3516D	Sony IMX326	5MP	Fixed	-	3.6mm	2592x1944 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH241HB-S-40PW	H3516A V200	Sony IMX274	8MP	Fixed	-	4.0mm	3840x2160 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.5" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH241HB-S-40PW	H3519	Sony IMX274	8MP	Fixed	-	4.0mm	3840x2160 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.5" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters.
CH581HW-28PW	H3516C	Sony IMX323	2MP	Fixed	-	2.8mm	1920x1080 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters.
CH581HW-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters.

Metal Bullet
(150x70x77mm)



CH581H3W-W28PW	H3516C	Sony IMX290	2MP	Fixed	-	2.8mm	1920x1080 @30fps	120db	Array	√	X	X	X	X	√	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH581H3W-W36PW	H3516C	Sony IMX290	2MP	Fixed	-	3.6mm	1920x1080 @30fps	120db	Array	√	X	X	X	X	√	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH593H3W-28PW	H3516D	Aptina AR0330	3MP	Fixed	-	2.8mm	2048x1520 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH593H3W-36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH591H3W-W36PW	H3516D	Sony IMX123	3MP	Fixed	-	3.6mm	2048x1520 @30fps	120db	Array	√	X	X	X	X	√	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH592H3W-28PW	H3516D	OV4689	4MP	Fixed	-	2.8mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH592H3W-36P	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH551H3W-28PW	H3516D	Sony IMX326	5MP	Fixed	-	2.8mm	2592x1944 @15fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH551H3W-36PW	H3516D	Sony IMX326	5MP	Fixed	-	3.6mm	2592x1944 @15fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH541HW-36PW	H3519	Sony IMX274	8MP	Fixed	-	3.6mm	3840x2160 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.5" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH581H3N-H-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH593H3N-H-36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH593H3N-H-36P-A	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	Array	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH592H3N-H-36P	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	



Metal Bullet
(Ø84x239mm)








CH592H3N-H-36P-A	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	Array	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH592H3N-H-60P	H3516D	OV4689	4MP	Fixed	-	6.0mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH592H3N-H-80P	H3516D	OV4689	4MP	Fixed	-	8.0mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH551H3N-H-36PW	H3516D	Sony IMX326	5MP	Fixed	-	3.6mm	2592x1944 @15fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH551H3N-H-36PW-A	H3516D	Sony IMX326	5MP	Fixed	-	3.6mm	2592x1944 @15fps	DWDR	Array	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 2pcs Array LED, IR distance: 10~45 meters	
CH381H3K-S-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters	
CH381H3K-S-36PW-A	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters	
CH393H3K-S-36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters	
CH391H3K-S-W36PW	H3516D	Sony IMX123	3MP	Fixed	-	3.6mm	2048x1520 @30fps	120db	SMD	√	X	X	X	X	√	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters	
CH392H3K-S-36PW	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters	
CH351H3K-S-36PW	H3516D	Sony IMX326	5MP	Fixed	-	3.6mm	2592x1944 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~30 meters	
CH381H3K-H-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH381H3K-H-36PW-A	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	Array	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
CH381H3K-H-W36PW	H3516C	Sony IMX290	2MP	Fixed	-	3.6mm	1920x1080 @30fps	120db	Array	√	X	X	X	X	√	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	





Metal Dome
(Ø126.6x92.8mm)





Metal Dome
(Ø126.6x89.8mm)



Metal Dome (Ø90.1x85.1mm)			CH393H3K-H-36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters	
			CH392H3K-H-36P	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 1pc Array LED, IR distance: 10~30 meters.	
			CH381H3L-36PW	H3516C	Sony IMX323	2MP	Fixed	-	3.6mm	1920x1080 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~25 meters.	
			CH393H3L-36PW	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~25 meters.	
			CH911H3L-W36PW	H3516D	Sony IMX123	3MP	Fixed	-	3.6mm	2048x1520 @30fps	120db	SMD	√	X	X	X	X	√	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~25 meters.	
			CH392H3L-36PW	H3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 18pcs LED, IR distance: 10~25 meters.	
Metal Bullet (Ø84x239mm)		 	CH281H3A-S-2812PW-AAT	H3516C	Sony IMX323	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
			CH281H3A-S-2812PW-A	H3516C	Sony IMX323	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	DWDR	SMD	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
			CH281H3A-S-W3312PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	3.3-12mm	1920x1080 @30fps	120db	SMD	√	X	X	X	X	√	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
			CH93H3A-S-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
			CH293H3A-S-2812P-A	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	√	X	X	√	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
			CH292H3A-S-2812PW	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
			CH251H3A-S-2812PW	H3516D	Sony IMX326	5MP	Varifocal	Manual	2.8-12mm	2592x1944 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	





		CH281H3N-SAF-2812PW	H3516C	Sony IMX323	2MP	Varifocal	Motorized	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.		
		CH293H3N-AF-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	DIP	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 42pcs LED, IR distance: 10~35 meters.	
		CH291H3N-AF-W2812P	H3516D	Sony IMX123	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	120db	DIP	✓	X	X	X	X	X	✓	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 42pcs LED, IR distance: 10~35 meters.	
		CH292H3N-S-AF-2812PW-AAT	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @30fps	90db	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
		CH251H3N-S-AF-2812PW	H3516D	Sony IMX326	5MP	Varifocal	Motorized	2.8-12mm	2592x1944 @15fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~35 meters.	
		CH281H3T-AF-A2812PW	H3516C	Sony IMX323	2MP	Varifocal	Motorized	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 30pcs LED, IR distance: 10~40 meters.		
		CH281H3T-WA3312PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	3.3-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
		CH281H3T-AF-WA3312PW	H3516C	Sony IMX290	2MP	Varifocal	Motorized	3.3-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
		CH293H3T-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
		CH293H3T-A2812P	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~35 meters.	
		CH293H3T-AF-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
		CH293H3T-AF-2812P-A	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	X	X	✓	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
		CH293H3T-AF-A2812P	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
		CH292H3T-2812P	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	

			CH292H3T-A2812P	Hi3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 40pcs LED , IR distance: 10-40 meters.		
			CH292H3T-AF-2812P	Hi3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 40pcs LED , IR distance: 10-40 meters.		
			CH292H3T-AF-A2812P	Hi3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 40pcs LED , IR distance: 10-40 meters.		
			CH251H3T-2812PW	Hi3516D	Sony IMX326	5MP	Varifocal	Manual	2.8-12mm	2592x1944 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264 , 40pcs LED , IR distance: 10-40 meters.		
Metal Bullet (Ø84x242mm)			CH592H3T-2812PW	Hi3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 2pcs Array LED , IR distance: 10-40 meters.		
			CH592H3T-AF-A2812P	Hi3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	Array	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 2pcs Array LED , IR distance: 10-40 meters.		
			CH551H3T-AF-A2812PW	Hi3516D	Sony IMX326	5MP	Varifocal	Motorized	2.8-12mm	2592x1944 @15fps	DWDR	Array	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264 , 2pcs Array LED , IR distance: 10-40 meters.		
Plastic Indoor Dome (Ø145x115mm)			CH493H3D-2812P	Hi3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	DIP	√	√	X	X	X	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.		
			CH493H3D-A2812P	Hi3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	DIP	√	√	√	√	√	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.		
			CH491H3D-WA3312PW	Hi3516D	Sony IMX123	3MP	Varifocal	Manual	3.3-12mm	2048x1520 @30fps	120db	DIP	√	√	√	√	√	X	Color 0.03lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.		
			CH492H3D-2812P	Hi3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	DIP	√	√	X	X	X	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.		
			CH492H3D-A2812P	Hi3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	DIP	√	√	√	√	√	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.		
			CH492H3D-AF-A2812P	Hi3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	DIP	√	√	√	√	√	√	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.	
			CH451H3D-A2812PW	Hi3516D	Sony IMX326	5MP	Varifocal	Manual	2.8-12mm	2592x1944 @15fps	DWDR	DIP	√	√	√	√	√	√	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264 , 28pcs LED , IR distance: 10-35 meters.	

Metal Vandalproof
Dome
(Ø151.4x112.7mm)



CH451H3D-AF-A2812PW	H3516D	Sony IMX326	5MP	Varifocal	Motorized	2.8-12mm	2592x1944 @15fps	DWDR	DIP	✓	✓	✓	✓	✓	✓	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 28pcs LED, IR distance: 10~35 meters.	
CH81H3M-2812PW	H3516C	Sony IMX323	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH81H3M-AF-2812PW	H3516C	Sony IMX323	2MP	Varifocal	Motorized	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH81H3M-AF-A2812PW	H3516C	Sony IMX323	2MP	Varifocal	Motorized	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH81H3M-WA2812PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC DN); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH81H3M-AF-WA2812PW	H3516C	Sony IMX290	2MP	Varifocal	Motorized	3.3-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC DN); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH93H3M-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH93H3M-A2812P	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH93H3M-AF-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH93H3M-AF-A2812PW	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH91H3M-AF-W3312PW	H3516D	Sony IMX123	3MP	Varifocal	Motorized	3.3-12mm	2048x1520 @30fps	120db	SMD	✓	X	X	X	X	X	✓	Color 0.01lux @ F1.2(AGC DN); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH92H3M-2812PW-AAT	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH92H3M-A2812P	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
CH92H3M-AF-2812P-AAT	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	X	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	

			CH392H3M-DF-A2812PW	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
			CH351H3M-2812PW	H3516D	Sony IMX326	5MP	Varifocal	Manual	2.8-12mm	2592x1944 @15fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
			CH351H3M-AF-A2812PW	H3516D	Sony IMX326	5MP	Varifocal	Motorized	2.8-12mm	2592x1944 @15fps	DWDR	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
Metal Vandalproof Dome (Ø151.4x112.7mm)			CH893H3M-H-AF-2812PW	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs LED, IR distance: 10~40 meters.	
			CH891H3M-H-AF-WA3312PW	H3516D	Sony IMX123	3MP	Varifocal	Motorized	3.3-12mm	2048x1520 @30fps	120db	Array	√	X	X	X	X	√	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 2pcs LED, IR distance: 10~40 meters.	
			CH92H3M-H-2812P	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs LED, IR distance: 10~40 meters.	
			CH392H3M-H-AF-2812P	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	Array	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs LED, IR distance: 10~40 meters.	
			CH392H3M-H-AF-A2812P	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	Array	√	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 2pcs LED, IR distance: 10~40 meters.
Metal Vandalproof Mini Dome			RS-CH892H3R-DF-2808PW	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-8mm	2592x1520 @20fps	90db	Array	√	√	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 24pcs LED, IR distance: 10~25 meters.	
Metal Vandalproof Indoor Dome (Ø139x120.7mm)			CH693H3J-AF-2812P	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	SMD	√	X	X	X	X	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
			CH692H3J-2812PW	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	√	X	X	X	X	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
			CH692H3J-AF-A2812P	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	SMD	√	√	√	√	√	X	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	
			CH681H3F-S-2812PW	H3516C	Sony IMX323	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	DWDR	SMD	√	X	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10~40 meters.	

Metal Vandalproof
Dome
(Ø147x117.3mm)



CH681HF-S-A2812PW	H3516C	Sony IMX323	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-AF-A2812PW	H3516C	Sony IMX323	2MP	Varifocal	Motorized	2.8-12mm	1920x1080 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-W2812PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	120db	SMD	✓	X	X	X	X	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-W3312PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	3.3-12mm	1920x1080 @30fps	120db	SMD	✓	X	X	X	X	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-WA2812PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	2.8-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-WA3312PW	H3516C	Sony IMX290	2MP	Varifocal	Manual	3.3-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-AF-WA2812PW	H3516C	Sony IMX290	2MP	Varifocal	Motorized	2.8-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH681HF-S-AF-WA3312PW	H3516C	Sony IMX290	2MP	Varifocal	Motorized	3.3-12mm	1920x1080 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH693HF-Z812P	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	DIP	✓	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 28pcs LED, IR distance: 10-30 meters.
CH693HF-S-A2812PW	H3516D	Aptina AR0330	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH693HF-AF-A2812P	H3516D	Aptina AR0330	3MP	Varifocal	Motorized	2.8-12mm	2048x1520 @30fps	DWDR	DIP	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 28pcs LED, IR distance: 10-30 meters.
CH691HF-WA2812PW	H3516D	Sony IMX123	3MP	Varifocal	Manual	2.8-12mm	2048x1520 @30fps	120db	DIP	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 28pcs LED, IR distance: 10-30 meters.
CH691HF-S-WA3312PW	H3516D	Sony IMX123	3MP	Varifocal	Manual	3.3-12mm	2048x1520 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.
CH691HF-S-AF-WA3312PW	H3516D	Sony IMX123	3MP	Varifocal	Motorized	3.3-12mm	2048x1520 @30fps	120db	SMD	✓	✓	✓	✓	✓	✓	Color 0.01lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.

Metal Mini Dome
(119.5x119.5x63.8mm)



CH692HF-S-2812P	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.	
CH692HF-S-A2812PW	H3516D	OV4689	4MP	Varifocal	Manual	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.	
CH692HF-S-AF-A2812P	H3516D	OV4689	4MP	Varifocal	Motorized	2.8-12mm	2592x1520 @20fps	90db	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.	
CH651HF-S-2812PW	H3516D	Sony IMX326	5MP	Varifocal	Manual	2.8-12mm	2592x1944 @15fps	DWDR	SMD	✓	X	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.	
CH651HF-S-A2812PW	H3516D	Sony IMX326	5MP	Varifocal	Manual	2.8-12mm	2592x1944 @15fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.	
CH651HF-S-AF-A2812PW	H3516D	Sony IMX326	5MP	Varifocal	Motorized	2.8-12mm	2592x1944 @15fps	DWDR	SMD	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/2.9" CMOS IP Camera, H.265/H.264, 40pcs LED, IR distance: 10-40 meters.	
CH481HC-W28PW-A	H3516C	Sony IMX290	2MP	Fixed	-	2.8mm	1920x1080 @30fps	120db	DIP	✓	✓	X	✓	X	✓	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH481HC-W36PW-A	H3516C	Sony IMX290	2MP	Fixed	-	3.6mm	1920x1080 @30fps	120db	DIP	✓	✓	X	✓	X	✓	Color 0.03lux @ F1.2(AGC ON); 8/W 0 lux @ IR ON	1/2.8" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH493HC-28P	H3516D	Aptina AR0330	3MP	Fixed	-	2.8mm	2048x1520 @30fps	DWDR	DIP	✓	✓	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH493HC-36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	DIP	✓	✓	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH493HC-A36P	H3516D	Aptina AR0330	3MP	Fixed	-	3.6mm	2048x1520 @30fps	DWDR	DIP	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH492HC-28P	H3516D	OV4689	4MP	Fixed	-	2.8mm	2592x1520 @20fps	90db	DIP	✓	✓	X	X	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH492HC-28P-A	H3516D	OV4689	4MP	Fixed	-	2.8mm	2592x1520 @20fps	90db	DIP	✓	✓	X	✓	X	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	
CH492HC-A28P	H3516D	OV4689	4MP	Fixed	-	2.8mm	2592x1520 @20fps	90db	DIP	✓	✓	✓	✓	✓	✓	Color 0.1lux @ F1.2(AGC ON) 8/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264, 12pcs LED, IR distance: 10 meters.	

			CH492H3C-36P	HI3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	DIP	√	√	X	X	X	√	Color 0.1lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 12pcs LED , IR distance: 10 meters.			
			CH492H3C-A36P	HI3516D	OV4689	4MP	Fixed	-	3.6mm	2592x1520 @20fps	90db	DIP	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/3" CMOS IP Camera, H.265/H.264 , 12pcs LED , IR distance: 10 meters.			
Box Camera (70x61x153mm)			CH191H3A	HI3516D	Sony IMX123	3MP	-	-	-	2048x1520 @30fps	120db	SMD	√	√	√	√	√	√	Color 0.03lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/2.8" CMOS IP camera, H.265/H.264, with RS485			
			CH193H3A	HI3516D	Aptina AR0330	3MP	-	-	-	-	2048x1520 @30fps	DWDR	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/3" CMOS IP camera, H.265/H.264, with RS485		
			CH193H3A-IR	HI3516D	Aptina AR0330	3MP	-	-	-	-	-	2048x1520 @30fps	DWDR	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/3" CMOS IP camera, H.265/H.264, with RS485. With LDR, support to trigger D/N switch by alarm	
			CH192H3A	HI3516D	OV4689	4MP	-	-	-	-	-	2592x1520 @20fps	90db	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/3" CMOS IP camera, H.265/H.264, with RS485	
			CH192H3A-IR	HI3516D	OV4689	4MP	-	-	-	-	-	2592x1520 @20fps	90db	SMD	√	√	√	√	√	√	Color 0.1lux @ F1.2(AGC ON) IR/W 0 lux @ IR ON	1/3" CMOS IP camera, H.265/H.264, with RS485. With LDR, support to trigger D/N switch by alarm	